




Thule Rapid System Kit 1514



> Instructions

HYUNDAI i20, 3-dr Hatchback, 09-15

HYUNDAI i20, 5-dr Hatchback, 09-15



3-dr =	Max. 50 kg	Max. 110 lbs
5-dr =	Max. 50 kg	Max. 110 lbs








ISO 11154-E

141514

C.20150120
519-1514-04

Bring your life
thule.com





x1



x1

1


	X (scale)	X (mm)	X (inch)
HYUNDAI i20 , 3-dr Hatchback, 09-15	33	981	38 ⁵ / ₈
HYUNDAI i20 , 5-dr Hatchback, 09-15	33	981	38 ⁵ / ₈




	Y (scale)	Y (mm)	Y (inch)
HYUNDAI i20 , 3-dr Hatchback, 09-15	29	941	37
HYUNDAI i20 , 5-dr Hatchback, 09-15	29	941	37

2



SRA




HYUNDAI i20, 3-dr Hatchback, 09-15




HYUNDAI i20, 5-dr Hatchback, 09-15



3



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
HYUNDAI i20, 3-dr Hatchback, 09-15	190	670	330	7 1/2	26 3/8	13



	W (mm)	Z (mm)	W (inch)	Z (inch)
HYUNDAI i20, 5-dr Hatchback, 09-15	190	700	7 1/2	27 1/2

