





Thule Rapid System Kit 1134

> Instructions

HONDA Accord, 4-dr Sedan, 99-02 (EUR)

HONDA Accord, 5-dr Hatchback, 00-02



ISO 11154-E

141134


C.20121210
519-1134-01

Bring your life

thule.com



15 x4




274 x2



275 x2





x1



x1

1

	X (scale)	X (mm)	X (inch)
HONDA Accord, 4-dr Sedan, 99-02 (EUR)	28,5	936	36 ⁷ / ₈
HONDA Accord, 5-dr Hatchback, 00-02	28	931	36 ⁵ / ₈





	Y (scale)	Y (mm)	Y (inch)
HONDA Accord, 4-dr Sedan, 99-02 (EUR)	25,5	906	35 ⁵ / ₈
HONDA Accord, 5-dr Hatchback, 00-02	30	951	37 ¹ / ₂


2

HONDA Accord, 4-dr Sedan, 99-02 (EUR)

HONDA Accord, 5-dr Hatchback, 00-02



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
HONDA Accord , 4-dr Sedan, 99-02 (EUR)	220	640	8 5/8	25 1/4
HONDA Accord , 5-dr Hatchback, 00-02	220	640	8 5/8	25 1/4

